



## NTN Bearing de Mexico, S.A.



3208 A-2RS1/MT33 Bearing 2D drawings and 3D CAD models

1.575 Inch | 40 Millimeter x 3.15 Inch | 80 Millimeter x 1.189 Inch | 30.2 Millimeter SKF 3208 A-2RS1/MT33 Angular Contact Ball Bearings

Bearing No. 3208 A-2RS1/MT33

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.614
EAN	7316571821535
Product Group	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	40MM Bore; 80MM Outside Diameter; 30.2MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot;



## NTN Bearing de Mexico, S.A.

	No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 1 (Single)
Other Features	NBR Contact Seal   MT33-Lithium Soap Thickener Grease
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	3208 A-2RS1/MT33
Weight / LBS	1.3536
D	3.15 Inch   80 Millimeter
B	1.189 Inch   30.2 Millimeter
d	1.575 Inch   40 Millimeter
bore diameter:	40 mm
radial static load capacity:	34 kN
outside diameter:	80 mm
operating temperature range:	-40 to +210 ° F
overall width:	1.1875 in
outer ring width:	30.2 mm
contact angle:	30 °
maximum rpm:	5600 RPM
row type & fill slot:	Double-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	Not Rated
closure type:	Double Seal
fillet radius:	1 mm
radial dynamic load	47.5 kN



## NTN Bearing de Mexico, S.A.

capacity:	
series:	32