




NTN Bearing de Mexico, S.A.



NUP 309 ECJ/C3 Bearing 2D drawings and 3D CAD models

1.772 Inch | 45 Millimeter x 3.937 Inch | 100 Millimeter x 0.984 Inch | 25 Millimeter SKF NUP 309 ECJ/C3 Cylindrical Roller Bearings

Bearing No. NUP 309 ECJ/C3

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.988
EAN	7316570392432
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	No
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity 1 Rib Inner Ring with Side Plate 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	45MM Bore; Straight Bore Profile; 100MM Outside



NTN Bearing de Mexico, S.A.

	Diameter; 25MM Width; Steel Cage Material; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C3-Loose Internal Clearance; Retai
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NUP 309 ECJ/C3
Weight / LBS	2.176
B	0.984 Inch 25 Millimeter
d	1.772 Inch 45 Millimeter
D	3.937 Inch 100 Millimeter
bore diameter:	45 mm
static load capacity:	100 kN
outside diameter:	100 mm
precision rating:	Not Rated
overall width:	25 mm
maximum rpm:	8500 RPM
flanges:	(4) Flanges, Two-Piece Inner Ring
bearing material:	Steel
bore type:	Straight
cage material:	Steel
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	25 mm
operating temperature	Maximum of +300 ° F



NTN Bearing de Mexico, S.A.

range:	
fillet radius:	1.5 mm
dynamic load capacity:	112 kN
series:	NUP3