



NTN Bearing de Mexico, S.A.



NU 1015 ML/C3 Bearing 2D drawings and 3D CAD models

2.953 Inch | 75 Millimeter x 4.528 Inch | 115
Millimeter x 0.787 Inch | 20 Millimeter SKF NU
1015 ML/C3 Cylindrical Roller Bearings

Bearing No. NU 1015 ML/C3

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.786
EAN	7316570822991
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	75MM Bore; Straight Bore Profile; 115MM Outside Diameter; 20MM Width;



NTN Bearing de Mexico, S.A.

	Brass Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Inter
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NU 1015 ML/C3
Weight / LBS	1.731
d	2.953 Inch 75 Millimeter
B	0.787 Inch 20 Millimeter
D	4.528 Inch 115 Millimeter
bore diameter:	75 mm
static load capacity:	71 kN
outside diameter:	115 mm
precision rating:	Not Rated
overall width:	20 mm
maximum rpm:	10000 RPM
flanges:	(2) Outer Ring
cage material:	Brass
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
outer ring width:	20 mm
ring separation:	Separable Ring
fillet radius:	1 mm
operating temperature range:	Maximum of +300 ° F



NTN Bearing de Mexico, S.A.

series:	NU10
dynamic load capacity:	58.3 kN