



## NTN Bearing de Mexico, S.A.



1.378 Inch | 35 Millimeter x 2.835 Inch | 72  
Millimeter x 0.906 Inch | 23 Millimeter SKF NU  
2207 ECP/C3 Cylindrical Roller Bearings

Bearing No. NU 2207 ECP/C3

NU 2207 ECP/C3 Bearing 2D drawings and 3D CAD  
models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.414
EAN	7316577060297
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	35MM Bore; Straight Bore Profile; 72MM Outside Diameter; 23MM Width;



## NTN Bearing de Mexico, S.A.

	Polymer Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Inte
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	NU 2207 ECP/C3
Weight / LBS	0.911
d	1.378 Inch   35 Millimeter
B	0.906 Inch   23 Millimeter
D	2.835 Inch   72 Millimeter
bore diameter:	35 mm
static load capacity:	63 kN
outside diameter:	72 mm
precision rating:	Not Rated
overall width:	23 mm
maximum rpm:	12000 RPM
flanges:	(2) Outer Ring
bearing material:	Steel
bore type:	Straight
cage material:	Polyamide
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	23 mm
operating temperature range:	Maximum of +300 ° F



## NTN Bearing de Mexico, S.A.

fillet radius:	1 mm
dynamic load capacity:	69.5 kN
series:	NU22