



## NTN Bearing de Mexico, S.A.



2.559 Inch | 65 Millimeter x 5.512 Inch | 140  
Millimeter x 1.89 Inch | 48 Millimeter SKF NU  
2313 ECML/C3 Cylindrical Roller Bearings

Bearing No. NU 2313 ECML/C3

NU 2313 ECML/C3 Bearing 2D drawings and 3D CAD  
models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	3.786
EAN	7316577728692
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	65MM Bore; Straight Bore Profile; 140MM Outside Diameter; 48MM Width;



## NTN Bearing de Mexico, S.A.

	Brass Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Inter
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	NU 2313 ECML/C3
Weight / LBS	8.34
D	5.512 Inch   140 Millimeter
d	2.559 Inch   65 Millimeter
B	1.89 Inch   48 Millimeter
bore diameter:	65 mm
static load capacity:	290 kN
outside diameter:	140 mm
precision rating:	Not Rated
overall width:	48 mm
maximum rpm:	6000 RPM
flanges:	(2) Outer Ring
bearing material:	Steel
bore type:	Straight
cage material:	Brass
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	48 mm
operating temperature range:	Maximum of +300 ° F



## NTN Bearing de Mexico, S.A.

fillet radius:	2 mm
dynamic load capacity:	285 kN
series:	NU23