



NTN Bearing de Mexico, S.A.



0.984 Inch | 25 Millimeter x 2.441 Inch | 62
Millimeter x 0.945 Inch | 24 Millimeter SKF NU
2305 ECP/C3 Cylindrical Roller Bearings

Bearing No. NU 2305 ECP/C3

NU 2305 ECP/C3 Bearing 2D drawings and 3D CAD
models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.354
EAN	7316577031860
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	25MM Bore; Straight Bore Profile; 62MM Outside Diameter; 24MM Width;



NTN Bearing de Mexico, S.A.

	Polymer Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Inte
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NU 2305 ECP/C3
Weight / LBS	0.78
d	0.984 Inch 25 Millimeter
D	2.441 Inch 62 Millimeter
B	0.945 Inch 24 Millimeter
bore diameter:	25 mm
static load capacity:	55 kN
outside diameter:	62 mm
precision rating:	Not Rated
overall width:	24 mm
maximum rpm:	15000 RPM
flanges:	(2) Outer Ring
bearing material:	Steel
bore type:	Straight
cage material:	Polyamide
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	24 mm
operating temperature range:	Maximum of +300 ° F



NTN Bearing de Mexico, S.A.

fillet radius:	1 mm
dynamic load capacity:	64 kN
series:	NU23