




NTN Bearing de Mexico, S.A.



3.543 Inch | 90 Millimeter x 5.512 Inch | 140 Millimeter x 1.457 Inch | 37 Millimeter SKF NN 3018 KTN9/SPW33 Cylindrical Roller Bearings

Bearing No. NN 3018 KTN9/SPW33

NN 3018 KTN9/SPW33 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.002
EAN	7316576620249
Product Group	B04144
Bore Profile	Tapered
Cage Material	Polymer
Precision Class	Special Precision
Number of Rows of Rollers	Double Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C1-Tight
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	3 Rib Inner Ring Plain Outer Ring High Precision Bearing Cage on Inner Ring OD
Long Description	90MM Bore; Tapered Bore Profile; 140MM Outside



NTN Bearing de Mexico, S.A.

	Diameter; 37MM Width; Polymer Cage Material; Special Precision; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C1-Tight In
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NN 3018 KTN9/SPW33
Weight / LBS	4.409
D	5.512 Inch 140 Millimeter
d	3.543 Inch 90 Millimeter
B	1.457 Inch 37 Millimeter
bore diameter:	90 mm
precision rating:	Not Rated
outside diameter:	140 mm
maximum rpm:	6700 RPM
overall width:	37 mm
bearing material:	Chrome Steel
flanges:	(3) Inner Ring
cage material:	Polyamide
bore type:	Straight
finish/coating:	Uncoated
number of rows:	2
closure type:	Open
internal clearance:	C1
outer ring width:	37 mm
operating temperature range:	Maximum of +120 ° C
fillet radius:	1.5 mm



NTN Bearing de Mexico, S.A.

dynamic load capacity:	138 kN
series:	NN30
static load capacity:	216 kN