



## NTN Bearing de Mexico, S.A.

3.438 Inch | 87.325 Millimeter x 2.953 Inch | 75 Millimeter x 4.409 Inch | 112 Millimeter TIMKEN LSE307BRHSNQATL Pillow Block Bearings



LSE307BRHSNQATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE307BRHSNQATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	24.98
EAN	0013992055163
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE307BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



## NTN Bearing de Mexico, S.A.

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	55.02
Actual Bolt Center to Center	12.6 Inch   320Millimeter
d	3.438 Inch   87.325 Millimeter
B	4.409 Inch   112 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Nominal Bolt Center to Center	12.6 Inch   320 Millimeter
D	2.953 Inch   75 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Shaft Size	3-7/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Angled
Bolt Size	2 x M20
Dimension H	100 mm
Dimension H2	230 mm
Dimension J	290 mm
Dimension L	345 mm
Dimension M	100 mm
Housing Width	5.4 in
Cr - Dynamic Load Rating	42039 lbf
Cor - Static Load Rating	51931 lbf
Ca - Axial Load Rating	2787.59 lbf
Maximum Speed	2790 rpm



## NTN Bearing de Mexico, S.A.

Note	This product line was formerly known as " Revolvo "
------	---